


Web [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)



worst case delay utilizing token bucket methods

Search

[Advanced Search](#)
[Preferences](#)



Web Results **1 - 10** of about **15,200** for **worst case delay utilizing token bucket methods**. (0.31 seconds)

Method for determining burstiness or a burstiness curve of a ...

According to the LR model, the **worst-case delay** bound dM of a tandem network ... The **method** simulates a **token-bucket** traffic policing mechanism to analyze ...

www.patentsstorm.us/patents/6795397-description.html - 85k - [Cached](#) - [Similar pages](#)

Integrated **Delay** Analysis of Regulated ATM Switch - Real-Time ...

available in the **token bucket** and a **token** is consumed. whenever a cell is transmitted. accurate **method** to derive the **worst case delay** by utilizing ...

ieeexplore.ieee.org/iel3/5099/13913/00641290.pdf - [Similar pages](#)

Online Distributed Statistical-**Delay** MBAC with QoS Guarantees for ...

bound, and **token bucket** traffic descriptors. The network. is required to meet these distinct this relation is based on the **worst case delay** conditions, ...

ieeexplore.ieee.org/iel5/9871/31386/01458590.pdf?arnumber=1458590 - [Similar pages](#)

[More results from ieeexplore.ieee.org >](#)

[PDF] **Speeding up** Transaction-oriented Communications in the Internet

File Format: PDF/Adobe Acrobat - [View as HTML](#)

a burst at peak rate p an on/off source will pause until the **token bucket** is filled up again. We consider a **worst case** topology and the maximum traffic load ...

doc.tm.uka.de/2004/kuefner-qf-pdb-mcmmi2004.pdf - [Similar pages](#)

Method for maintaining reservation state in a network router and ...

1 is a schematic of a **token-bucket** utilized to allow for specifying the input The flow experiences the **worst case delay** when it merges with traffic ...

www.freepatentsonline.com/7027449.html - 138k - [Cached](#) - [Similar pages](#)

An admission control algorithm for predictive real-time service ...

worst case behavior of the network violate any **delay** bound? An example of this We require that each real-time flow a be characterized by a **token bucket** ...

www.springerlink.com/index/p7274880458k7736.pdf - [Similar pages](#)

Integrated services packet networks with mobile hosts ...

imal **delay** bounds of predictive flows are approximated by. replacing the **worst-case** parameters in the analytical model. with equivalent **token bucket** filter. ...

portal.acm.org/ft_gateway.cfm?id=299570&type=pdf&dl=GUIDE&dl=ACM - [Similar pages](#)

Pil: S0140-3664(00)00180-8

By choosing appropriate **token bucket** traffic shaper parameters, **delay** can be such that it represents the "**worst-case**" traffic scenario as ...

linkinghub.elsevier.com/retrieve/pii/S0140366400001808 - [Similar pages](#)

Leaky **Bucket** Access Control for VBR MPEG Video


as the **worst case** cell loss rate for the LB system. Although by **utilizing** a large **token** pool size short terms variations in ...

doi.ieeecomputersociety.org/10.1109/INFCOM.1995.515949 - [Similar pages](#)

(WO/2004/112335) PCMM APPLICATION MANAGER

The Maximum Traffic Burst is set equal to the IETF **Token Bucket** Depth b As such, both the maximum **worst case** queuing **delay** and the peak rate of the ...

www.wipo.int/pctdb/en/wo.jsp?WO=2004%2F112335&IA=WO2004%2F112335&DISPLAY=DESC - 83k - [Cached](#) - [Similar pages](#)



worst case delay utilizing token buck

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)